


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


1/68

FIG.1



2/68


FIG.2



receive authentication request device certificate


3/68

FIG.3




4/68

FIG.4



5/68

FIG.5



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.6





FIG. 7




001260 21510150

APPROVED	D. J. FIG.	
BY	CLASS	SUBCLASS
DATE		

8/68

FIG.8




001260 27510150

APPROVED	O. S. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


9/68

FIG.9



001260 2154060


FIG. 10



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


11/68

FIG.11




ORIGINAL DRAWING

FIG.12



13/68

FIG.13



14/68

FIG.14

DESTINATION NODE = RELAY NODE
SOURCE NODE = RADIO NODE
CONFIGURATION-1 = MPEG DECODING/DISPLAY FUNCTION
CONFIGURATION-2 =
⋮
ATTRIBUTE-1 OF CONFIGURATION-1 = AUTHENTICATION FORMAT (AUTHENTICATION ORGANIZATION =)
ATTRIBUTE-2 OF CONFIGURATION-1 = MPEG UPPERBOUND BIT RATE 6Mbps
⋮

007250 2454050

APPROVED	D.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

15/68

FIG.15

SUBSTANCE ON RADIO SECTION SIDE	FORM OF PROXY SERVICE PROVIDED BY RELAY NODE WITH RESPECT TO 1394 SIDE
MPEG DECODING/DISPLAY FUNCTION OF RADIO NODE 103 (SUB-UNIT ID=0) (AUTHENTICATION FORMAT) (IS PRESENT	MPEG DECODING/DISPLAY SUB-UNIT (SUB-UNIT ID=0) (AUTHENTICATION FORMAT) (IS PRESENT
.....

<p>SUBSTANCE ON 1394 BUS SIDE</p>	<p>FORM OF PROXY SERVICE PROVIDED BY RELAY NODE WITH RESPECT TO RADIO SECTION SIDE</p>
<p>VIDEO TRANSMISSION FUNCTION OF TRANSMISSION NODE 101 (VIDEO TRANSMISSION SUB-UNIT) (SUB-UNIT ID=0) (AUTHENTICATION FORMAT) (IS PRESENT</p>	<p>VIDEO TRANSMISSION SUB-UNIT (SUB-UNIT ID=0) (AUTHENTICATION FORMAT) (IS PRESENT</p>
<p>.....</p>	<p>.....</p>

17/68

FIG. 17





FIG.18



APPROVED	Q.S. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

19/68


FIG.19

DESTINATION NODE = RADIO NODE
SOURCE NODE = RELAY NODE
CONTROL CONTENT = DATA RECEPTION
RADIO ISOCHRONOUS CHANNEL TO BE USED = #y
DATA DESTINATION = MPEG DECODING/DISPLAY FUNCTION (ID=0)
DATA SOURCE = VIDEO TRANSMISSION FUNCTION (ID=0)

004200 24540450

20/68


FIG.20



APPROVED	2.3. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

21/68


FIG.21



001200 21510450


22/68

FIG. 22




23/68

FIG.23




24/68

FIG.24




25/68

FIG. 25



26/68

FIG.26



APPROVED	J.G. HG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

27/68

FIG.27





FIG.28




0397378-2

APPROVED	O.G. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

FIG.29

29/68

R6




R7

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

30/68

FIG.30

R7




R21

0011200 21510100

APPROVED	D.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

31/68


FIG.31



66420-2454060

32/68

FIG.32




007-1378-20 SHEET 22 OF 68

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

33/68

FIG.33



6039-7378-5A2

APPROVED	O.G. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

FIG.34

SUBSTANCE ON RADIO SECTION SIDE	FORM OF PROXY SERVICE PROVIDED BY RELAY NODE WITH RESPECT TO 1394 SIDE
MPEG DECODING/DISPLAY FUNCTION OF RADIO NODE 103 (SUB-UNIT ID=0)	MPEG DECODING/DISPLAY SUB-UNIT (SUB-UNIT ID=0)

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

35/68

FIG.35

SUBSTANCE ON 1394 BUS SIDE	FORM OF PROXY SERVICE PROVIDED BY RELAY NODE WITH RESPECT TO RADIO SECTION SIDE
VIDEO TRANSMISSION FUNCTION OF TRANSMISSION NODE 101 (VIDEO TRANSMISSION SUB-UNIT) (SUB-UNIT ID=0)	VIDEO TRANSMISSION SUB-UNIT (SUB-UNIT ID=0)
.....

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

36/68

FIG.36

RELAY NODE

MPEG DECODING/DISPLAY
 SUB-UNIT
 (SUB-UNIT ID=0)

AUTHENTICATION
 FORMAT
 (DEVICE CERTIFICATE)

IEEE1394 I/F

APPROVED	D.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

38/68

FIG.38

SOURCE ADDRESS
DESTINATION ADDRESS
DATA

0697378-2RD 38 OF 108

APPROVED	D. A. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

39/68


FIG.39

DESTINATION NODE = RADIO NODE
SOURCE NODE = RELAY NODE
CONTROL CONTENT = DATA RECEPTION
SID TO BE USED = α
DATA DESTINATION = MPEG DECODING/DISPLAY SUB-UNIT (SUB-UNIT ID=0)
DATA SOURCE = VIDEO TRANSMISSION SUB-UNIT (SUB-UNIT ID=0)

004200-24540450

40/68


FIG.40



APPROVED	DATE
BY	CLASS. / SUBCLASS
DRAFTSMAN	


41/68

FIG.41




42/68

FIG.42




43/68

FIG.43



44/68


FIG.44



604250 2757153

APPROVED	D. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG.45



APPROVED	O. A. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

46/68


FIG.46



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


47/68

FIG.47



504250-2454760


FIG.48



49/68

FIG.49

R13




604200 21540450

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

50/68

FIG.50




201200241510150

APPROVED	D.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

51/68

FIG.51




001200 21511100

APPROVED	O.G.	FIG.
BY	CLASS	SUBCLASS
DRAFTSMAN		

52/68

FIG.52



604260-24540460

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

53/68

FIG.53




FIG. 54

(a)

PANEL AT PANEL SUB-UNIT OF TRANSMISSION NODE

(9)

HOME PAGE FOR
TRANSMISSION NODE CONTROL

PRODUCED IN
SIMILAR
CONFIGURATION
AS MUCH AS
POSSIBLE



VTR CONTROL DISPLAY

REVERSE

STOP

PLAYBACK

**FAST
FORWARD**

VTR CONTROL PAGE

REVERSE

STOP


PLAYBACK

**FAST
FORWARD**

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

55/68


FIG.55



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

56/68


FIG.56



APPROVED	O.G. FIG.
BY	CLASS
DRAFT	SUBCLASS


57/68

FIG. 57



58/68


FIG.58



200002451060

601260-2154060


FIG. 59



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

60/68

FIG.60




001200 2454460

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

61/68

FIG.61




61/68-215115

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


62/68

FIG.62



63/68


FIG.63



APPROVED	O.S. FIG.	
BY	CLASS	SUBCLASS
DRAFTS	AN	

64/68

FIG.64




64/68

6571250727571157

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

65/68


FIG.65



APPROVED	O.S. [unclear]
BY	CLASS [unclear]
DRAFTSMAN	

66/68

FIG.66



554263 274463

FIG.67




FIG.68

